

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**schülke** 

## **mikrozid® universal liquid**

**No Change Service!**

Version  
02.09

Revision Date:  
25.01.2021

Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

Trade name : mikrozid® universal liquid  
Unique Formula Identifier (UFI) : N990-U0CF-T009-8ES2

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-stance/Mixture : Disinfectants and general biocidal products

Recommended restrictions on use : Restricted to professional users.

### **1.3 Details of the supplier of the safety data sheet**

Producer : Schülke & Mayr GmbH  
Robert-Koch-Str. 2  
  
22851 Norderstedt  
Germany  
Telephone: +49 (0)40/ 52100-0  
Telefax: +49 (0)40/ 52100318  
mail@schuelke.com  
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.  
Cygnet House  
1, Jenkin Road, Meadowhall  
  
Sheffield S9 1AT  
United Kingdom  
Telephone: +44 114 254 35 00  
Telefax: +44 114 254 35 01  
mail.uk@schulke.com

E-mail address of person responsible for the SDS/Contact person : Application Department  
+49 (0)40/ 521 00 666  
AD@schuelke.com  
(Schülke & Mayr UK Ltd.: +44-1142543500)



### **1.4 Emergency telephone number**

Emergency telephone number : UK Poisons Emergency number: 0870 600 6266  
Carechem 24 International: +44 1235 239670

## **SECTION 2: Hazards identification**

### **2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 3

H226: Flammable liquid and vapour.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**schülke** 

## **mikrozid® universal liquid**

**No Change Service!**

Version  
02.09

Revision Date:  
25.01.2021

Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

Eye irritation, Category 2

H319: Causes serious eye irritation.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Warning

Hazard Statements

: H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

Precautionary Statements

: P102 Keep out of reach of children.

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear eye protection/ face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Has a degreasing effect on the skin.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## **mikrozid® universal liquid**

**No Change Service!**

Version  
02.09

Revision Date:  
25.01.2021

Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

	01-2119457558-25-XXXX		
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 10 - < 20

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

- General advice : Take off all contaminated clothing immediately.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.  
Rinse mouth with water.  
Give small amounts of water to drink.  
Obtain medical attention.

### **4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : Treat symptomatically.

### **4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

- Suitable extinguishing media : Dry powder  
Alcohol-resistant foam  
Water spray jet  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : Do NOT use water jet.

### **5.2 Special hazards arising from the substance or mixture**

- Specific hazards during fire- : Cool closed containers exposed to fire with water spray.

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

---

fighting

Hazardous combustion prod- : No hazardous combustion products are known  
ucts**5.3 Advice for firefighters**Special protective equipment : In the event of fire, wear self-contained breathing apparatus.  
for firefighters

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Ensure adequate ventilation.

**6.2 Environmental precautions**

Environmental precautions : Avoid subsoil penetration.

**6.3 Methods and material for containment and cleaning up**Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).**6.4 Reference to other sections**see Section 8 + 13

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**Advice on safe handling : Use only in well-ventilated areas.  
Wear personal protective equipment.Advice on protection against : The hot product gives off combustible vapours. Keep away  
fire and explosion from sources of ignition - No smoking.

Hygiene measures : Keep away from food and drink.

**7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage : Store at room temperature in the original container.  
areas and containersFurther information on stor- : Keep away from direct sunlight. Keep container tightly closed.  
age conditions Recommended storage temperature: 15 - 25°CAdvice on common storage : Do not store together with explosives, oxidizing agents, organ-  
ic peroxides and infectious products.**7.3 Specific end use(s)**Specific use(s) : none

---

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40
		STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m <sup>3</sup>	GB EH40
Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m <sup>3</sup>
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140.9 mg/l
	Effects on waste water treatment plants	2251 mg/l
	Oral	160 mg/kg food
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l

**8.2 Exposure controls****Personal protective equipment**

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021

Date of last issue: 09.04.2020

Date of first issue: 17.08.2015

Directive	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	:	Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection.
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	No personal respiratory protective equipment normally required.
Protective measures	:	Avoid contact with eyes.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	:	liquid
Colour	:	colourless
Odour	:	alcohol-like
Odour Threshold	:	not determined
pH	:	3 - 3.6 Concentration: 100 %
Melting point/freezing point	:	< -5 °C
Decomposition temperature	:	No data available
Boiling point/boiling range	:	ca. 80 °C
Flash point	:	26 °C Method: DIN 51755 Part 1
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	12 %(V) Raw material
Lower explosion limit / Lower flammability limit	:	2 %(V) Raw material
Vapour pressure	:	ca. 40 hPa (20 °C)
Vapour density	:	No data available
Relative density	:	ca. 0.95 g/cm <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**schülke** 

## **mikrozid® universal liquid**

**No Change Service!**

Version  
02.09

Revision Date:  
25.01.2021

Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

Solubility(ies)	
Water solubility	: completely soluble (20 °C)
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: 425 °C Raw material
Viscosity	
Viscosity, dynamic	: not determined
Explosive properties	: No data available
Oxidizing properties	: No data available

### **9.2 Other information**

No data available

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

### **10.2 Chemical stability**

The product is chemically stable.

### **10.3 Possibility of hazardous reactions**

Hazardous reactions : Vapours may form explosive mixture with air.

### **10.4 Conditions to avoid**

Conditions to avoid : Heat, flames and sparks.

### **10.5 Incompatible materials**

Materials to avoid : Strong acids and oxidizing agents

### **10.6 Hazardous decomposition products**

None reasonably foreseeable.

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

#### **Components:**

##### **propan-2-ol:**

Acute oral toxicity	: LD50 (Rat): 5,840 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 39 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**schülke** 

## **mikrozid® universal liquid**

**No Change Service!**

Version  
02.09

Revision Date:  
25.01.2021

Date of last issue: 09.04.2020

Date of first issue: 17.08.2015

Exposure time: 4 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg  
Method: OECD Test Guideline 402

### **ethanol:**

Acute oral toxicity : LD50 (Mouse): 8,300 mg/kg  
Acute inhalation toxicity : LC50 (Mouse): 39 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Method : Expert judgement and weight of evidence determination.  
Result : No skin irritation  
Remarks : largely based on human evidence

#### **Components:**

##### **propan-2-ol:**

Result : No skin irritation

##### **ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

 **PRAXISDIENST**  
Medical Supplies since 1953

 **Order here!**

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : Causes serious eye irritation.

#### **Components:**

##### **propan-2-ol:**

Result : Eye irritation

##### **ethanol:**

Method : OECD Test Guideline 405  
Result : Eye irritation

### **Respiratory or skin sensitisation**

#### **Components:**

##### **propan-2-ol:**



**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021

Date of last issue: 09.04.2020

Date of first issue: 17.08.2015

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.

**ethanol:**

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****propan-2-ol:**

Genotoxicity in vitro	: Test Type: Ames test Method: Mutagenicity (Escherichia coli - reverse mutation assay) Result: Non mutagenic
Genotoxicity in vivo	: Species: Mouse Method: Mutagenicity (micronucleus test) Result: Non mutagenic
Germ cell mutagenicity- Assessment	: Not mutagenic in Ames Test

**ethanol:**

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test
Genotoxicity in vivo	: Result: Non mutagenic
Germ cell mutagenicity- Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity****Components:****propan-2-ol:**

Remarks	: Based on available data, the classification criteria are not met.
Carcinogenicity - Assessment	: Based on available data, the classification criteria are not met.

**ethanol:**

Carcinogenicity - Assessment	: Did not show carcinogenic effects in animal experiments.
------------------------------	--

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015**II****Reproductive toxicity****Components:****propan-2-ol:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.  
Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.

**ethanol:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

Reproductive toxicity - Assessment : In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance.  
Animal experiments showed mutagenic and teratogenic effects.

**STOT - single exposure****Components:****propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**ethanol:**

Remarks : No data available

**STOT - repeated exposure****Components:****propan-2-ol:**

Remarks : Based on available data, the classification criteria are not met.

**ethanol:**

Remarks : No data available

**Repeated dose toxicity****Components:****propan-2-ol:**

Remarks : No data available

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015**ethanol:**

Species	: Rat
NOAEL	: 1,730 mg/kg
LOAEL	: 3,160 mg/kg
Application Route	: Oral
Exposure time	: 90 d

**Aspiration toxicity**

No data available

**SECTION 12: Ecological information****12.1 Toxicity****Components:****propan-2-ol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 10,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test  EC50 (green algae): 1,800 mg/l Exposure time: 7 d

**ethanol:**

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 5,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l Exposure time: 72 h

**12.2 Persistence and degradability****Components:****propan-2-ol:**




Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

**ethanol:**

Biodegradability	: Test Type: aerobic Result: Readily biodegradable. Biodegradation: > 70 % Exposure time: 5 d
------------------	--

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

Method: OECD 301D / EEC 84/449 C6

**12.3 Bioaccumulative potential****Components:****propan-2-ol:** Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4). Partition coefficient: n-octanol/water : log Pow: 0.05 (20 °C)  
Method: OECD Test Guideline 107**ethanol:** Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n-octanol/water : log Pow: -0.14  
Method: Calculated value**12.4 Mobility in soil****Components:****propan-2-ol:** Mobility : Remarks: Mobile in soils**ethanol:** Mobility : Remarks: No data available**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**12.6 Other adverse effects****Product:**

Additional ecological information : No data is available on the product itself.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of the product according to the defined EWC (European Waste Code) No.

Contaminated packaging : Take empty packaging to the recycling plant.

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

Waste key for the unused product : European waste catalog (EWC) 070601\*

Waste key for the unused product(Group) : Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products.

**SECTION 14: Transport information****14.1 UN number**

ADR : UN 1987

IMDG : UN 1987

IATA : UN 1987

**14.2 UN proper shipping name**

ADR : ALCOHOLS, N.O.S.  
(propan-2-ol, ethanol)

IMDG : ALCOHOLS, N.O.S.  
(propan-2-ol, ethanol)

IATA : Alcohols, n.o.s.  
(propan-2-ol, ethanol)

**14.3 Transport hazard class(es)**

ADR : 3

IMDG : 3

IATA : 3

**14.4 Packing group**

**ADR**

Packing group : III

Classification Code : F1

Hazard Identification Number : 30

Labels : 3

Tunnel restriction code : (D/E)

**IMDG**

Packing group : III

Labels : 3

EmS Code : F-E, S-D

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 366

Packing instruction (LQ) : Y344

Packing group : III

Labels : Flammable liquid

**IATA (Passenger)**

Packing instruction (passenger aircraft) : 355

Packing instruction (LQ) : Y344

Packing group : III

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021

Date of last issue: 09.04.2020

Date of first issue: 17.08.2015

Labels : Flammable liquid

**14.5 Environmental hazards****ADR**

Environmentally hazardous : no

**IMDG**

Marine pollutant : no

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 29.23 %

Regulation (EC) No. 648/2004, as amended : less than 5 %: Anionic surfactants

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015**Other regulations:**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**15.2 Chemical safety assessment**

Exempt

**SECTION 16: Other information****Full text of H-Statements**

H225 : Highly flammable liquid and vapour.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.

**Full text of other abbreviations**

Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
STOT SE : Specific target organ toxicity - single exposure  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

**mikrozid® universal liquid****No Change Service!**Version  
02.09Revision Date:  
25.01.2021Date of last issue: 09.04.2020  
Date of first issue: 17.08.2015

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information****Classification of the mixture:**

Flam. Liq. 3	H226
Eye Irrit. 2	H319

**Classification procedure:**

Based on product data or assessment  
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Order here!****PRAXISDIENST**  
Medical Supplies since 1953